

# KAINOSIS PHARMA PVT. LTD.

(A DIVISION OF GNOSIS PHARMACEUTICALS PVT.LTD.)

HEAD OFFICE: SCO-847, 1ST FLOOR, NAC MANIMAJRA, CHANDIGARH -160101

PLANT : NAHAN ROAD, VILLAGE: MOGINAND, KALA AMB , DISTRICT : SIRMOUR, HP.

PHONE NO-9805003736,9816080076, 9056003736

EMAIL ID: info.gnosispharmaceuticals01@gmail.com

## TABLET & CAPSULE SECTION

\*\*\*GENERAL,GYNE,DERMA &ORTHO\*\*\*

S.NO	BRAND NAME	COMPOSITION	TYPE	PACKING	MRP	GST
1	KAINIXIM-200 DT	Cefixime 200mg DT	ALU/ALU	10*10	1070	12%
Indication: It is used to treat bacterial infections in many different parts of the body.						
2	KAINIXIM-CV 325	Cefixime 200 mg + Clavulanic Acid 125mg	ALU/ALU	6*10	1500	12%
Indication: It is used to treat bacterial infections in many different parts of the body.						
3	KAINIXIM-O	Cefixime 200 mg + Ofloxacin 200 mg	ALU/ALU	10*10	1600	12%
Indication: It is used to treat bacterial infections in many different parts of the body.						
4	KAINIXIM-LB	Cefixime 200mg + Lactic Acid Bacillus 100M.S. DT	ALU/ALU	10*10	1350	12%
Indication: It is used to treat bacterial infections in many different parts of the body.						
5	KAIPOD-200	Cefpodoxime 200mg	ALU/ALU	10*10	2490	12%
Indication: It is effective in infections of the lungs (eg. pneumonia), urinary tract, ear, nasal sinus, throat, and skin.						
6	KAIPOD-325	Cefpodoxime 200mg + Clav. Acid 125mg	ALU/ALU	10*6	1990	12%
Indication: It is effective in infections of the lungs (eg. pneumonia), urinary tract, ear, nasal sinus, throat, and skin.						
7	KAITHRO-250	Azithromycin 250mg	BLISTER	10*6	713	12%
Indication: Azithromycin is used to treat certain bacterial infections.						
8	KAITHRO-500	Azithromycin 500mg	BLISTER	10*3	717	12%
Indication:Azithromycin is used to treat certain bacterial infections.						
9	KAINOXY CV 375	Amoxycillin 250mg + Clavulanic Acid 125mg	ALU/ALU	3*10	480	12%
Indication:This combination is an antibiotic that belongs to the group of medicines known as penicillins & beta-lactamase inhibitors.						
10	KAINOXY 500 CAP	Amoxycillin 500mg	BLISTER	20*10	1606	12%
Indication:Amoxy 500mg Capsule is used to treat a variety of bacterial infections.						
11	KAINOXY-625	Amoxycillin 500mg + Clavulanic Acid 125mg	STRIP	10*6	1210	12%
Indication:This combination is an antibiotic that belongs to the group of medicines known as penicillins & beta-lactamase inhibitors.						
12	KAINOXY-625 LB	Amoxycillin 500mg + Clavulanic Acid 125mg LB	ALU/ALU	10*6	1650	12%
Indication:This combination is an antibiotic that belongs to the group of medicines known as penicillins & beta-lactamase inhibitors.						
13	KAINOFLOX	Levofloxacin 500mg	ALU/ALU	10*10	898	12%
Indication:It is also used to treat anthrax infection after inhalational exposure.						
14	OFNOSIS-200	Ofloxacin 200mg	ALU/ALU	10*10	570	12%
Indication:Ofloxacin is used to treat certain bacterial infections in many different parts of the body.						
15	OFNOSIS-OZ	Ofloxacin 200mg + Ornidazole 500mg	BLISTER	10*10	890	12%
Indication:It is used in the treatment of bacterial and parasitic infections.						
16	CEFUROXIS-500	CEFUROXIME 500 TAB	ALU/ALU	10*1*6	3600	12%
Indication: It is used to treat certain infections caused by bacteria such as bronchitis,gonorrhoea Lyme disease & other infections.						
17	LINECID-600	Linezolid 600mg	ALU/ALU	10*1*10	3600	12%

Indication:Linezolid is used to treat infections, including pneumonia, and infections of the skin.						
18	RAXMIN 400	Rifaximine 400mg	-	-	-	-
19	KAINECLO -P	Aceclofenac 100mg + PCM 325mg	BLISTER	10*10	550	12%
Indication:For relieving pain, inflammation and swelling in various forms of arthritis.						
20	KAINECLO-SP	Aceclofenac 100mg + PCM 325mg + Serratiopeptidase	ALU/ALU	10*10	1300	12%
Indication: It used to relieve pain and swelling in various conditions like muscle pain, joint pain, and postoperative pain.						
21	KAINECLO -MR	Aceclofenac 100mg + PCM 325mg + Chlorzoxazone	ALU/ALU	10*10	1150	12%
Indication:It is used to relieve pain, inflammation, and swelling in conditions that affect muscles.						
22	KAINECLO-TH	Aceclofenac 100mg + Thiocolchicoside 4mg	ALU/ALU	10*10	1350	12%
Indication:It helps relieve pain and muscle spasm that may occur due to strains, sprains, and muscle injuries.						
23	DICLONE-P	Diclofenac 50mg + Paracetamol 325mg	BLISTER	10*2*10	798	12%
Indication:It used to relieve muscle pain, back pain, toothache, or pain in the ear and throat.						
24	KAISERA-D	Diclofenac Pot. 50mg + PCM 325mg + Serriopeptidase	BLISTER	10*10	800	12%
Indication:It helps in relieving moderate pain and reducing fever.						
25	KAINOXIB-90	Etoricoxib 90mg	ALU/ALU	10*10	990	12%
Indication:It is a non-steroidal anti-inflammatory drug (NSAIDs) that is used as anti-inflammatory painkillers.						
26	KAINOXIB-TH	Etoricoxib 60mg + Thiocolchicoside 4mg	ALU/ALU	10*10	1900	12%
Indication:It is used in treating pain, swelling and inflammation caused due to muscle spasm.						
27	KAIMONT	Levocetirizine 5mg	BLISTER	10*10	390	12%
Indication:It is used to relieve the symptoms of hay fever and hives of the skin.						
28	KAIMONT-L	Levocetirizine 5mg + Montelukast 10mg	ALU/ALU	10*10	1150	12%
Indication:It is used to relieve the symptoms of hay fever and hives of the skin.						
29	KAIMONT-LC KID	Levocetirizine 2. 5mg + Montelukast 4mg	ALU/ALU	10*10	780	12%
Indication: Montek LC Kid Tablet is commonly prescribed in children to treat symptoms of allergy such as runny nose, sneezing etc.						
30	BROFEN 100 CAP	Acebrofylline 100mg Capsules	ALU/ALU	10*10	1190	12%
31	KAIMONT-AF	Acebrofylline 200 mg + fexofenadine 120 mg + Montelukast 10mg	ALU/ALU	10*10	2100	12%
Indication:This combination is used to prevent asthma and treat allergic symptoms such as sneezing, runny nose, congestion etc.						
32	FEXOKAI-M	Fexofenadine HCL 120mg + Montelukast 10mg	ALU/ALU	10*10	1290	12%
Indication:It is used to treat sneezing and runny nose due to allergies.						
33	VERTISIN-8	Betahistine Tablets IP 8mg	ALU/ALU	10*10	610/-	12%
34	MOLKET-650	Paracetamol 650 tab	BLISTER	10*10	206	12%
Indication:It helps in reducing the fever, it also has an analgesic effect.						
35	MOLKET-650 (DOLO PACK)	Paracetamol 650 tab	DOLO	10*15	342	12%
Indication:It helps in reducing the fever, it also has an analgesic effect.						
36	KAINIMO	Nimesulide 100mg	BLISTER	10*10	250	12%
Indication:It is used to treat common cold symptoms.						
37	KAINIMO-P	Nimesulide 100mg + Paracetamol 325 mg	BLISTER	10*10	550	12%
Indication: It helps in reducing fever, local pain, and general discomfort.						
38	GNOFLU PLUS	Paracetamol 325 mg + Phenylepherene 10 mg + Levocetirizine 5 mg + Caffiene 25 mg + Ambroxol 30mg	BLISTER	10*10	500	12%

Indication:This combination is used to treat chronic sinusitis, rhinitis, fever, nasal discharge, sore throat, and wheezing.						
39	GNOFLU COLD	Paracetamol IP 500mg+Phenylpherine HCl IP 5mg+Caffeine IP 30mg+Diphehydramine IP 25mg	BLISTER (RED PVC)	20*10	1200	12%
40	MEFSIS 80	Drotaverine HCl 80mg	ALU/ALU	10*10	795	12%
Indication:It is used to relieve menstrual pain, pain due to kidney stone etc.						
41	MEFSIS-SPAS	Drotaverine HCl 80mg and Mefenamic Acid 250mg	BLISTER	10*10	880	12%
Indication:It is used to treat menstrual cramps, stomach pain and muscle spasms.						
42	ETH-MF	Tranexamic acid 500 MG+ Mafenamic acid 250 mg	ALU/ALU	10*10	1900	12%
Indication:It helps relieve menstrual pain and abnormally heavy menstrual bleeding.						
43	KAIMEF -P	Mefenamic Acid 500 mg + Paracetamol 325 mg	BLISTER	10*10	500	12%
Indication: It is used to treat mild to moderate pain.						
44	KAIMEF-D	Mefenamic Acid 250mg + Dicyclomine Hcl 20mg + Pcm	BLISTER	20*10	800	12%
Indication: It is used to relieve pain due to heavy bleeding during periods, and menstrual cramps.						
45	ECOX-T	Ethamsylate 250mg + Tranexamic acid 500mg.	ALU/ALU	10*10	1900	12%
Indication:It works by preventing the breakdown of blood clots and controls excessive menstrual bleeding.						
46	GNOTRAN-4	Ondasatron 4 mg DISPERSIBLE TAB	BLISTER	10*10	390	12%
Indication:This is used to prevent nausea and vomiting.						
47	KAIDEF-6	Deflazacort 6mg	ALU/ALU	10*10	1300	12%
Indication:Deflazacort is used to treat Duchenne muscular dystrophy (DMD).						
48	KAIDEF-12	Deflazacort 12mg	ALU/ALU	10*10	1500	12%
Indication:Deflazacort is used to treat Duchenne muscular dystrophy (DMD).						
49	VOXZIN-10	Hydroxyzine Hcl 10mg	ALU/ALU	10*10	220	12%
Indication:This medicine is also used to relieve symptoms of allergic conditions						
50	VOXZIN-25	Hydroxyzine Hcl 25mg	ALU/ALU	10*10	510	12%
Indication:This medicine is also used to relieve symptoms of allergic conditions						
51	BASITIN-10	Ebastin 10mg	ALU/ALU	10*10	550	12%
Indication:It is an effective treatment for both seasonal and perennial allergic rhinitis.						
52	FUNGKILL 150	FLUCONAZOL 150MG	BLISTER	30*1*1	390	12%
Indication:It's used to treat infections caused by different kinds of fungus.						
53	T-FINE 250	Terbinafine -250 mg	ALU/ALU	10*10	2050	12%
Indication:It is used to treat skin infections caused by a fungus (yeast), including: athlete's foot. fungal nail infections.						
54	KAINTRA-100 CAP	Itraconazole 100 mg	ALU/ALU	10*10	1490	12%
Indication:It is used to treat fungal infections, such as aspergillosis,blastomycosis,or histoplasmosis.						
55	KAINTRA-200 CAP	Itraconazole 200 mg	ALU/ALU	10*10	2200	12%
Indication:It is used to treat fungal infections, such as aspergillosis,blastomycosis,or histoplasmosis.						
56	ALBECT PLUS	Ivermectin 6mg + Albendazole 400mg	BLISTER	4*5*1	360	12%
Indication:It is used in the treatment of worm infections.						
57	ZEXPRIN-SR	Isoxsuprine Hcl. 40mg (Sustained Release)	ALU/ALU	10*10	950	12%
Indication:It may be prescribed in the third trimester of pregnancy to prevent premature labor.						
58	IROFOL-HB CAP	Carbonyl Iron 100mg + Folic Acid 1.5mg + Zinc Sulphate Monohydrate 61.8mg + Vit. B12 15mcg(Pellets)	BLISTER	10*10	900	12%
Indication:It used to treat iron deficiency anaemia, iron deficiency due to low intake of iron.						
59	GNOFER-XT TAB	Ferrous Ascorbate 100mg + Folic Acid 1.5mg + Zinc	ALU/ALU	10*10	1150	12%
Indication:It used to treat iron deficiency anaemia, iron deficiency due to low intake of iron.						

60	PREGWIN	Doxylamine Succinate 20mg + Pyridoxine 20mg + Folic Acid 5mg	ALU/ALU	10*10	850	12%
Indication:It is used to prevent or reduce nausea and vomiting caused by pregnancy.						
61	TRIPTO	Trypsin Chymotrypsin 1lac	ALU/ALU	10*20	3800	12%
Indication:This combination is used in reducing pain and swelling						
62	TRIPTO-BR	Trypsin 48mg + bromelain 90mg + rutoside trihydrate 100mg	ALU/ALU	10*10	2550	12%
Indication:This combination is used in reducing pain and swelling						
63	TRIPTO-BRD	Trypsin 48mg + Bromelain 90mg + Rutoside Trihydrate 100mg +	ALU/ALU	10*10	2700	12%
Indication:This combination is used in reducing pain and swelling						
64	TRIPTO-BRA	Trypsin 48mg + Bromelain 90mg + Rutoside	ALU/ALU	10*10		12%
Indication:This combination is used in reducing pain and swelling						
65	TRIPTO AP	Trypsin Chymotrypsin 50000 I.U + Aceclofenac 100MG + Paracetamol	ALU/ALU	10*10		12%
Indication:This combination is used in reducing pain and swelling						
66	KAICAL-CZ	Calcium Citrate Malate 1000mg + Vit.D3 200IU + Magnesium Hydroxide 100mg + Zinc 4mg	BLISTER	10*15	1450	12%
Indication:It is used to treat calcium and vitamin D deficiency.						
67	BONERUN-D3	CCM,VIT D3, FOLIC ACID	BOTTLE	30 TABS	367-280	12%
Indication:It is used to treat calcium and vitamin D deficiency.						
68	BONERUN K27	CCM, calciterol, vitamin k27 , omega 3 fatty acid, epa,	ALU/ALU	10*15	3150	12%
Indication:It is used to treat calcium and vitamin D deficiency.						
69	UDG-300	Ursodeoxycholic acid 300 mg	ALU/ALU	10*1*10	3800	12%
Indication:It used to treat patients with primary biliary cholangitis,an immune-mediated cholestatic liver disease characterized by the destruction of intrahepatic bile ducts.						
70	ORTHOKEN	Diacerin 50mg + Glucosamine 750mg + MSM 250mg	ALU/ALU	10*10	1950	12%
Indication:This combination helps in the building of cartilage (the soft tissue around the joints) leading to joint repair.						
71	PREDKAIN-4	Methylprednisolone 4 mg	ALU/ALU	10*10	600	12%
Indication:It is used to treat a number of different conditions such as inflammation,severe allergies, adrenal problems, arthritis, asthma.						
72	PREDKAIN-8	Methylprednisolone 8 mg	ALU/ALU	10*10	633	12%
Indication:It is used to treat a number of different conditions such as inflammation,severe allergies, adrenal problems, arthritis, asthma.						
73	PREDKAIN-16	Methylprednisolone 16 mg	ALU/ALU	10*10	1600	12%
Indication:It is used to treat a number of different conditions such as inflammation,severe allergies, adrenal problems, arthritis, asthma.						
74	ROOTCURE	BIOTIN 10MG,N-ACETYL CYSTEINE 50MG,CALCIUM PANTOTHENATE 100MG(SODIUM SELENITE EQ TO ELEMENTAL SELENIUM 65MCG, COPPER 3MG,ZINC 22.5MG	BOTTLE	30 TABS	-	12%
Indication:Helps to maintain healthy and conditioned hair and scalp by supplying essential nourishment.						
75	KAIRAB-20	Rabeprazole 20mg	ALU/ALU	10*10	520	12%
Indication:Rabeprazole is used to treat duodenal ulcers, gastroesophageal reflux disease.						
76	KAIRAB-D	Rabeprazole 20mg + Domperidone 10mg	ALU/ALU	10*10	800	12%
Indication:This combination is used to treat acidity and heartburn.						
77	KAIRAB DSR CAP	Rabeprazole 20mg + Domperidone 30mg SR	ALU/ALU	10*10	1100	12%
Indication:This combination is used to treat acidity and heartburn.						
78	KAIRAB LSR CAP	Rabeprazole 20mg + Levosupiride 75mg SR	ALU/ALU	10*10	1500	12%
Indication:Rabeprazole is used to treat duodenal ulcers, gastroesophageal reflux disease.						
79	KAIRAB O	Rabeparazole & Ondansetrone	-	-	-	-
Indication:Rabeprazole is used to treat duodenal ulcers, gastroesophageal reflux disease.						

80	KAIPAN-40	Pantoprazole 40mg	ALU/ALU	10*10	750	12%
Indication:It's used for heartburn, acid reflux and gastro-oesophageal reflux disease.						
81	KAIPAN-D	Pantoprazole 40mg + Domperidone 10mg	ALU/ALU	10*10	890	12%
Indication:It's used for heartburn, acid reflux and gastro-oesophageal reflux disease.						
82	KAIPAN DSR CAP	Pantoprazole 40mg + Domperidone 30mg SR	ALU/ALU	10*10	1190	12%
Indication:It's used for heartburn, acid reflux and gastro-oesophageal reflux disease.						
83	KAIPAN LSR	Pantoprazole- 40mg + Levosulpiride 75mg	ALU/ALU	10*10	1850	12%
Indication:It's used for heartburn, acid reflux and gastro-oesophageal reflux disease.						
84	KAIZOL DSR CAP	ESOMEPRAZOLE 40 MG + DOMPERIDONE 30 MG	ALU/ALU	10*10	1399	12%
Indication:It works by decreasing the amount of acid.It relieves symptoms such as heartburn, difficulty swallowing.						
85	OMHEAL-D CAP	Omeprazole 20mg + Domperidone 10mg	ALU/ALU	10*15	990	12%
Indication:A medicine to treat heartburn and indigestion						
86	LANSIS JUNIOR	Lansoprazole 15MG (Mouth Dissolving Tab)	ALU/ALU	3*15	405	12%
Indication:Lansoprazole is also taken to prevent and treat stomach ulcers.						
87	LANSIS 30	Lansoprazole 30mg	ALU/ALU	10*10	1090	12%
Indication:Lansoprazole is also taken to prevent and treat stomach ulcers.						
88	KINUXO-40	Fabuxostat 40 mg	ALU/ALU	10*10	900	12%
Indication:It is used to lower high uric acid in the blood in patients with gout.						
89	PREGKAI-M CAP	Pregabalin 75mg + Methylcobalamin 750mcg	ALU/ALU	10*10	1350	12%
Indication:This medicine is useful in the treatment of nerve pain.						
90	PREGCOX TAB	Pregabalin Sustained Release & Etoricoxib Tablet	ALU/ALU	10*10	1775	12%
Indication:This combination is used in the treatment of Neuropathic pain						
91	ALPHA-MEC	Methylcobalamin 500mcg + Gabapentin 300mg	ALU/ALU	10*10	1200	12%
Indication:The tablet is used to treat neuropathic pain (pain due to nerve damage).						
92	MECOSIS TAB	Methylcobalamin 1500mcg + Folic Acid 1.5mg + A.L.A 100mg + Pyridoxine hcl 3 mg + zinc 15 mg + chromium 60mcg + selenium 65 mcg + inositol 2 mg	ALU/ALU	10*10	1250	12%
Indication:Used to treat certain types of long-lasting pain caused by damage to nerves as well as to fulfill your nutritional requirements.						
93	KAIBACT CAP	Pre & Probiotic cap	ALU/ALU	10*10	1290	12%
Indication:Probiotics have been used to treat bowel problems (such as diarrhea, irritable bowel)						
94	K-3 SOFTGEL CAP	Omega 3 fatty acid 30 mg wheat germ oil natural	BLISTER	10*10	1250	18%
Indication:It is a good combination to gain antioxidant and anti-inflammatory outcomes.						
95	MET-D3 CAP	CHOLECALCIFEROL 60,000 IU	BLISTER	10*1*4	1100	12%
Indication:It is used to treat low blood calcium levels.						
96	VITGROW TAB	MULTIVITAMIN+MULTIMINERALS+ANTI OXIDANT	BLISTER	1*10	155 SHIPPER	12%
Indication:It is used to treat or prevent vitamin deficiency due to poor diet, certain illnesses, or during pregnancy.						
97	MULTIRICH-G SOFT GEL	GINSING + MULTIVITAMIN +MULTIMINERALS+ ANTIOXIDANT SOFT GEL (IN FOOD)	BLISTER	10*1*10	1400	18%
Indication:It is used to treat or prevent vitamin deficiency due to poor diet, certain illnesses, or during pregnancy.						
98	KAIGEST-200 S.G	PROGESTERON 200 MG S.G	BLISTER	10*1*10	3100	12%
Indication:This medicine is used in cases of infertility to support the uterus in preparing itself for the pregnancy.						
99	KAIGEST-300 S.G	PROGESTERON 300 MG S.G	BLISTER	10*1*10		12%
Indication:This medicine is used in cases of infertility to support the uterus in preparing itself for the pregnancy.						

<b>PEDIATRIC RANGE</b>						
<b>***DRY SYRUPS,DROPS &amp; SUSP***</b>						
<b>S.NO</b>	<b>BRAND NAME</b>	<b>COMPOSITION</b>	<b>TYPE</b>	<b>PACKING</b>	<b>MRP</b>	<b>GST</b>
100	KAINIXIM-50	Cefixime 50mg (With Water)	PET BOTTLE	30 ML	49	12%
Indication:It is used to treat bacterial infections in many different parts of the body.						
101	KAINIXIM-100	Cefixime 100mg (With Water)	PET BOTTLE	30ML	74	12%
Indication:It is used to treat bacterial infections in many different parts of the body.						
102	CEFOCAL-50	Cefpodoxime 50mg/5ML (With Water)	PET BOTTLE	30 ML	85	12%
Indication:It is also used to treat typhoid fever in children.						
103	CEFOCAL-100	Cefpodoxime 100mg/5ML (With Water)	PET BOTTLE	30 ML	125	12%
Indication:It is also used to treat typhoid fever in children.						
104	KAINOXY-CL	Amoxicilline 200mg + Clavulanic Acid 28.5mg (With Water)	GLASS BOTTLE	30 ML	65	12%
Indication:It helps treat bacterial infections of the ear, nose, throat, chest, lungs, teeth, skin etc						
105	KAINOXY-FORTE	Amoxicilline 400mg + Clavulanic Acid 57mg (With Water)	PET BOTTLE	30 ML	140	12%
Indication:It helps treat bacterial infections of the ear, nose, throat, chest, lungs, teeth, skin etc						
106	KAITHRO 100	Azithromycin dihydrate 100mg/5ml	SUSP	30 ML	63	12%
Indication:It treats infections caused by bacteria.						
107	KAITHRO 200	Azithromycin dihydrate 200mg/5ml	SUSP	30 ML	114	12%
Indication:It treats infections caused by bacteria.						
108	OFNOSIS 50	Ofloxacin 50mg	SUSP	60ML	47	12%
Indication:It is used for treating certain kinds of bacterial infections						
109	OFNOSIS 100	Ofloxacin 100mg	SUSP	60ML	70	12%
Indication:It is used for treating certain kinds of bacterial infections						
110	OFNOSIS OZ	Ofloxacin50mg, Ornidazole125mg Susp	SUSP	60ML	72	12%
Indication:It is used to treat diarrhoea caused due to mixed infections in adults.						
111	OFNOSIS M	Ofloxacin50mg, Metronidazole120mg, Simethicone10mg	SUSP	60ML	75	12%
Indication:This treats diarrhoea and acidity in children.						
112	VOM-GO DROPS	Ondasteron 2mg Drops	DROPS	30ML	38	12%
Indication:It is effective in reducing the frequency of vomiting.						
113	VITGROW DROPS	Vitamin D3 800I.U Drops	DROPS	15ML	72	12%
Indication:It is used to treat low blood calcium levels.						
114	CYPROSIS DROPS	Cyproheptadine & Tricholine Drops	DROPS	15ML	75	12%
Indication:It may also be prescribed to your child to increase his or her appetite.						
115	ZINTOMATE DROPS	Multivitamin Multimineral Drops	DROPS	30ML	68	18%
Indication:It is used in infants and children to treat or prevent deficiency due to poor diet.						
116	GNOFER XT DROPS	Ferrous Ascorbate + Folic Acid + Zinc Drop	DROPS	30ML	75	18%
Indication:It used to treat iron deficiency in children due to low intake of iron.						
117	GASCO-DIL DROPS	Each ml (10 Drop App.) Simethcone 40mg + dill oil	DROPS	30ML	78	12%
Indication:They relieve muscle spasms in the gut and allows easy passage of gas.						
118	GNOFLU-CP SYP	Phenylephrine hydrochloride 5 mg + Chlorpheniramine maleate 2 mg	SUSP	60 ML	89	12%
Indication:It helps relieve runny nose, sneezing, and congestion in the nose.						

119	GNOFLU-P DROPS	Pcm 125 MG + Phenylepherine 2.5 MG +Cpm1 mg drop	DROP	15 ML	75	12%
Indication:It helps to relieve symptoms of cold like runny nose, watery eyes, fever and headache.						
120	KAISYP LS DROPS	Levosaltamol 0.25mg, Amobroxol hcl 7.5mg, Guaiphenesin 12.5mg	DROP	15	-	12%
121	VOXZIN DROPS	Hydroxizine Hcl 6mg/ml	DROPS	15ML	56	12%
Indication:It helps to relieve itching caused by allergic skin reactions.						
122	VOXZIN SYP	Hydroxizine Syp	SYP	100ML	78	12%
Indication:It helps to relieve itching caused by allergic skin reactions.						
123	FEXOKAI SUSP	Fexofenadine Susp 30mg	SUSP	60ML	128	12%
124	KAIMONT SYP	Levocetirizine 5mg/5ml	W.CTN	60 ML	94	12%
Indication:It is used to relieve the symptoms of hay fever and hives of the skin.						
125	KAIMONT-M SYP	Levocetirizine 2.5mg + Montelukast 4mg/5ml	W.CTN	60 ML	98	12%
Indication:It is used to relieve the symptoms of hay fever and hives of the skin.						
126	KAIDEF SYP	Deflazacort 6mg/5ml	W.CTN	30 ML	75	12%
Indication:It is used to treat Duchenne muscular dystrophy (DMD).						
127	ALBECT PLUS SYP	Ivermectin 1.5mg + Albendazole 200mg/5ml	BOTTLE	10ML	45	12%
Indication:It is used in the treatment of worm infections.						
128	KAINECLO-P SUSP	Aceclofenac 50 mg + pcm 250 mg suspension	W.CTN	60 ML	65	12%
Indication:It is used for pain relief.						
129	MEFSIS-KID	Mefenamic Acid 50mg and Paracetamol 125mg Bottle	BOTTLE	60ML	65	12%
Indication:It is used to reduce fever, swelling and pain in children.						
130	MEFSIS KID DS	Mefenamic Acid 100mg and Paracetamol 250mg Bottle	BOTTLE	60ML	69	12%
Indication:It is used to reduce fever, swelling and pain in children.						
131	MOLKET-250 SUSP	PARACETAMOL 250/5ML	SUSP	60 ML	40	12%
Indication:It helps to treat pain and reduce a high temperature (fever).						
132	GNOFLU SYP	Paracetamol 250 mg + Phenylepherene 5mg +	W.CTN	60 ML	75	12%
Indication:This is an Anti cold syrup.						
133	KAIBACT	PRE PROBIOTIC	-	-	-	-
Indication:Probiotics are used to improve digestion and restore normal flora.						
<b>DERMA RANGE</b>						
<b>***OINTMENTS &amp; LOTIONS***</b>						
S.NO	BRAND NAME	COMPOSITION	TYPE	PACKING	MRP	GST
134	FUSIKAIM CREAM	Fusidic Acid 2%w/w	TUBE	10 GM	113	12%
Indication:It's used to treat bacterial infections, such as skin infections, eye infections including conjunctivitis						
135	LULIKAIN CREAM	Luliconazole 1% w/w Cream	TUBE	15 GM	120	12%
Indication:It is used to treat: Ringworm of the body (tinea corporis); Ringworm of the foot between the toes.						
136	LULICIDE CREAM	Luliconazole 1% w/w Cream	JAR	50GM	360	12%
Indication:It is used to treat: Ringworm of the body (tinea corporis); Ringworm of the foot between the toes.						
137	MOMETACY CREAM	Mometasone IP 0.1% w/w	TUBE	15GM	120	12%
138	CYTERBINA CREAM	Terbinafine Cream 1% w/w	TUBE	30GM	140	12%

Indication: Treating athlete's foot, ringworm, jock itch and pityriasis versicolor.						
139	VARZO GEL	Clotrimazole 2% Vaginal Gel <b>(with applicator)</b>	TUBE	15GM	115	12%
140	ENCLINO CREAM	Adapalene 0.1%w/w + Clindamycin 1%w/w Gel	TUBE	20GM	135	12%
Indication:This medication is used to treat acne.						
141	TELCLO-S	Clobetasol Propionate IP 0.05% w/w Salicylic Acid IP 3.0% w/w ointment	TUBE	20GM	79	12%
142	KAICORT-NM CREAM	Clobetasol Propionate, Miconazole Nitrate & Neomycin Sulphate Cream	TUBE	15 GM	102	12%
Indication:It is used to treat swelling, itching, and redness caused due to bacterial or fungal skin infections.						
143	MELASIS CREAM	Hdroquinone, Tretenoin & Mometasone Cream	TUBE	20GM	145	12%
Indication:This combination is used for the short-term treatment of mild to moderate melasma.It helps reduce scars, marks, blemishes.						
144	ZEXOSIS-M CREAM	Hydroquinone 2%w/w + Tretinoin 0.025%w/w + Fluocinolone Acetonide 0.1% Cream	TUBE	15 GM	160	12%
Indication:This combination is used to lighten the skin. It is used on the skin to treat melasma.						
145	ITOX-A O CREAM	Ofloxacin 0.75%w/w + ornidazole 2.0% w/w + itraconazole 1% + clobetasol propionate 0.05% w/w + methylparaben 0.2% + propylparaben 0.02%	TUBE	15 GM	95	12%
Indication:This is a combination of medicines used to treat skin infections caused by microorganisms like bacteria and fungi.						
146	KAINACLO GEL	Diclofenac Diethylamine 1.16% w/w Methyl salicylate 10%w/w Linseed oil 3%w/w Menthol 5%w/w	TUBE	30 GM	90	12%
Indication:This medication is used to relieve normal muscular pain & joint pain from arthritis.						
147	KAINECLO ULTRA GEL	Diclofenac 1.16% + Thiocolchicoside 0.125% + Oleum lini 3.0% + Methyl Salicylate 10.0% + Menthol 5.0% + Benzyl Alcohol 1.0% gel	TUBE	30GM	195	12%
148	KETOKAIN CREAM	Ketoconazole 2% Cream	TUBE	30GM	135	12%
Indication:It is an antifungal medicine. It's used to treat skin infections caused by a fungus (yeast).						
149	MOISTOSIS CREAM	Cetyl alcohol 2% w/w cream	TUBE	100 GM	279	12%
Indication:It is used as a moisturizer to treat or prevent dry, rough, scaly, itchy skin and minor skin irritations.						
150	KETOKAIN LOTION	Ketoconazole 2% w/v Lotion	BOTTLE	100 ML	213	12%
Indication:It is an antifungal medicine. It's used to treat skin infections caused by a fungus (yeast).						
151	SCABFREE LOTION	Permethrin 5% W/V Lotion	BOTTLE	60ML	73	12%
Indication:This medication is used to treat scabies.						
152	LULICIDE LOTION	Luliconazole Lotion	BOTTLE	30ML	225	12%
Indication:It is used to treat: Ringworm of the body (tinea corporis); Ringworm of the foot between the toes.						
153	MOISTOSIS LOTION	Cetyl alcohol 2% w/v Lotion	BOTTLE	100ML	299	12%
Indication:It is used as a moisturizer to treat or prevent dry, rough, scaly, itchy skin and minor skin irritations.						
154	KETOKAIN SHAMPOO	Ketoconazole 2% with Zinc Pyrithione Shampoo	BOTTLE	60 ML	215	12%
Indication:This shampoo is used to treat dandruff and sun fungus.						
INJECTABLES						
S.NO	BRAND NAME	COMPOSITION	TYPE	PACKING	MRP	GST



155	KAIRAB-20	Rabeprazole 20 mg	VIAL	SINGLE	135	12%
Indication:This is a medicine that reduces the amount of acid produced in your stomach.						
156	KAIPAN-40	Pantaprazole 40mg	VIAL	SINGLE	49	12%
Indication:This is a medicine that reduces the amount of acid produced in your stomach.						
157	GNOCEF-250	Ceftriaxone 250mg	VIAL	SINGLE	-	12%
Indication:It is used to treat bacterial infections in many different parts of the body.						
158	GNOCEF-500	Ceftriaxone 500mg	VIAL	SINGLE	-	12%
Indication:It is used to treat bacterial infections in many different parts of the body.						
159	GNOCEF-1GM	Ceftriaxone 1gm	VIAL	SINGLE	60	12%
Indication:It is used to treat bacterial infections in many different parts of the body.						
160	GNOCEF-S	Ceftriaxone 1000mg + Sulbactam 500mg	VIAL	SINGLE	150	12%
Indication:It is used to treat bacterial infections in many different parts of the body.						
161	GNOZONE-1.5	Cefoperazone 1000 mg + sulbactam 500	VIAL	SINGLE	249	12%
Indication:It is used to treat bacterial infections in many different parts of the body.						
162	GNOFER-XT INJ	Iron Sucrose 50mg	VIAL	SINGLE	301	12%
Indication:It used to treat iron deficiency in children due to low intake of iron.						
163	MECOSIS-1500	Methylcobalamine 1500mcg+ PYRIDOXINE 100 MG + NIACINAMIDE 100 MG + BENZYL ALCOHOL 2 %	AMP	SINGLE	65/amp	12%
Indication:It is used to treat deficiency of vitamin B12 in the body.						
164	DICLONE-75	DICLOFENAC 75 MG	AMP	10*1ML	25/amp	12%
Indication:It is used to treat adults with mild to moderate pain.						
165	VOM-GO INJ	Ondasatron 4 MG/2ML	AMP	5*2ML	25/amp	12%
Indication:It is used to prevent nausea and vomiting.						
166	PIROSIS-4.5	PIPERACILLINE 4 GM + TAZOBACTUM 500 MG	VIAL	SINGLE	481	12%
Indication:It is used to treat bacterial infections in many different parts of the body.						
167	G-NONE 50	NANDROLONE DECANOATE 50 MG	VIAL	DISPO	195	12%
Indication:It is used in theTreatment of osteoporosis in post-menopausal women.						
168	G-PENEM	MEROPENEM 1GM	VIAL	SINGLE	2100	12%
Indication:It is used to treat bacterial infections in many different parts of the body.						
169	DOXSIS	DOXYCYCLINE 100 MG WITH VIT C	VIAL	DISPO		12%
Indication:It is used to treat or prevent bacterial infections, including pneumonia and other respiratory tract infections.						
170	G-ACE	TRIAMCINOLONE ACETONIDE 40 MG/ML	VIAL	14		12%
Indication:This injection is used to treat inflammation (swelling), allergic reactions, certain types of arthritis, gout, skin diseases, and many other medical problems.						
<b>CARDIAC &amp; DIABETIC RANGE</b>						
S.NO	BRAND NAME	COMPOSITION	TYPE	PACKING	MRP	GST
171	TELNOSIS-40	Telmisartan 40 MG	ALU/ALU	10*15	1200	12%
Indication:It is used to treat high blood pressure (hypertension).						
172	TELNOSIS-H	Telmisartan 40 MG+ hydrochlorothiazide 12.5 MG	ALU/ALU	10*15	1350	12%
Indication:It is used to treat high blood pressure (hypertension).						
173	TELNOSIS-A	Telmisartan 40 MG+ amlodipine 5 MG	ALU/ALU	10*10	900	12%
Indication:It is used to treat high blood pressure (hypertension).						
174	VIPINE-AT	Amlodipine 5mg + Atenolol 50mg	BLISTER	10*10	410	12%

Indication:It is used in the treatment of hypertension and chronic stable angina.						
175	NITROKAIN 2.6	Nitroglycerin 2.6mg Bottle Pack	BOTTLE	30 TAB	145	12%
Indication:These tablets are used to treat episodes of angina (chest pain) in people who have coronary artery disease.						
<b>DENTAL RANGE</b>						
<b>S.NO</b>	<b>BRAND NAME</b>	<b>COMPOSITION</b>	<b>TYPE</b>	<b>PACKING</b>	<b>MRP</b>	<b>GST</b>
176	KIDODENT 10	KETOROLAC 10 MG DT	ALU/ALU	10*15	1100	12%
Indication:It is used to relieve moderately severe pain, usually pain that occurs after an operation or other painful procedure.						
177	ARCHDENT TOOTHPASTE	Potassium Nitrate 5% w/w , Sodium Monofluorophosphate 0.7 %w/w ,Triclosan 0.3%w/w TOOTHPASTE	TUBE	50GM	85	12%
Indication:Toothpaste is used to promote oral hygiene:						
178	ARCHDENT MOUTH WASH	Chlorhexidine gluconate 0.2% Mouth Wash	NECK STOPPER	150ML	150	12%
Indication:It is used to promote oral hygiene:						
<b>PROTEIN POWDER/SACHET/ NANO SHOTS</b>						
<b>S.NO</b>	<b>BRAND NAME</b>	<b>COMPOSITION</b>	<b>TYPE</b>	<b>PACKING</b>	<b>MRP</b>	<b>GST</b>
179	KANIN PLUS (CHOCOLATE)	Whey Protein Powder With Vitamins & Minerals( DHA) Sugar Free	TIN	200 GM	350	18%
Indication: A source of protein and nutritions.						
180	KANIN PLUS (AMERICAN ICE CREAM)	Whey Protein Powder With Vitamins & Minerals( DHA) Sugar Free	TIN	200GM	350	18%
Indication: A source of protein and nutritions.						
181	MOM'S BEST POWDER (STRAWBERRY)	Protein Powder for MOM's (DHA) Sugar Free	TIN	200GM	385	18%
Indication: Specialised nutrition for pregnant and breastfeeding women						
182	LOYSA BC	Bacillus Clausii Spores Susp <b>(Manufactured by Virchow Biotech)</b>	VIAL	10*5ML	480	12%
183	KAINRAX SACHET	L ARGININE + PROANTHOCYANIDINE SACHET	SACHET	20*4GM	50	12%
Indication:lowering blood pressure, reducing the symptoms of angina and PAD ,treating erectile dysfunction due to a physical cause.						
184	KAIBACT SACHET	PRE + PROBIOTIC SACHET	SACHET	20*1.5GM	400	18%
Indication:Probiotics are used to improve digestion and restore normal flora.						
185	KAICAL-D3 NANO SHOT	CHOLECALCIFEROL 60,000I.U (SUGAR FREE)	BOTTLE	4*5ML	65-87	12%
Indication:It is used to treat calcium and vitamin D deficiency.						
186	GLUCORUN	ENERGY DRINK	PACKET	105GM	60	12%
Indication: To boost glucose level.						
<b>EYE/EAR DROPS</b>						
<b>S.NO</b>	<b>BRAND NAME</b>	<b>COMPOSITION</b>	<b>TYPE</b>	<b>PACKING</b>	<b>MRP</b>	<b>GST</b>
187	BOXYME 0.5	CARBOXYMETHYLCELLULOSE 05% EYE DROP	DROPS	10ML	125	12%
Indication:It is used as a lubricant for dry eyes.						
188	BOXYME 1	CARBOXYMETHYLCELLULOSE 1% EYE DROP	DROPS	10ML	145	12%
Indication:It is used as a lubricant for dry eyes.						
189	KAIMOX	MOXIFLOXACIN 0.5% EYE DROP	DROPS	5ML	95	12%

Indication:It is used as a lubricant for dry eyes.						
190	NOZYCARE	Nasal Drop	DROPS	-		12%
Indication:This medication is used for temporary relief of congestion in the nose.						
<b>SYRUP SECTION</b>						
S.NO	BRAND NAME	COMPOSITION	TYPE	PACKING	MRP	GST
191	KAISYP	Terbutaline Sulphate 1.25mg + Guaiphenesin 50mg	BOTTLE	100 ML	95	12%
Indication:relieves cough.						
192	KAISYP-L	Ambroxol 30mg + Guaiphenesin 50mg Levosolbutamol 1mg/5ml	BOTTLE	100 ML	98	12%
Indication:relieves wet cough.						
193	KAISYP-DX	Dextromethorphan HBR 15 mg + Phenyephine 5mg +Chlorpheniramine 2mg/5ml	BOTTLE	100 ML	90	12%
Indication:relieves dry cough						
194	KAISYP-BR	Bromhexine Hcl. 4 mg + Terbutaline 1.25 mg +	BOTTLE	60ML	45	12%
Indication:It is a mucolyter which thins and loosens mucus.						
195	KAISYP-BR 100ML	Bromhexine Hcl. 4 mg + Terbutaline 1.25 mg + Guaiphensin 50. mg + Menthol 1 mg/5ml	BOTTLE	100ML	75	12%
Indication:It is a mucolyter which thins and loosens mucus.						
196	ALKAFAS	DISODIUM HYDROGEN CITRATE 1.25GM	W.CTN	100ML		12%
Indication:It stops the production of uric acid in the body and prevents gout attack and kidney stones.						
197	KAICAL SUSP	Calcium citrate 100mg + Vit. D3-200 IU + L-Lysine HCL	W.CTN	200ML	130	12%
Indication:It is used to treat calcium and vitamin D deficiency.						
198	XOSIL SYP	Fungal Diastase 50mg+Pepsin 10mg/5ml	W.CTN	200 ML	120	18%
Indication:Enzyme syrup.						
199	LAXOFREE SYP	Sodium Picosulphate 5mg/5ml	BOTTLE	100ml	69	12%
Indication:Sodium Picosulfate is a laxative.						
200	PICOVEN PLUS FLAVOUR)	(MINT Liquid paraffin 1.25 ml+Milk of magnesia 3.75ml+Sodium picosulfate 3.33ml	BOTTLE	100ml	120	12%
201	KAIGEL	Magaldrate 480mg + Simethicone 20mg + Oxetacaine	BOTTLE	170 ML	95	12%
Indication:It is used in the treatment of acidity, stomach ulcers and bloating.						
202	KAIGEL MPS FLAVOUR)	(PAN Dried Aluminium Hydroxide IP 250mg+ Magnesium Hydroxide IP 250mg+ Simethicone IP 25mg	BOTTLE	170ML		12%
203	SUCROSIS SYP	sucralfate 1 gm + oxetacaine 20 mg	BOTTLE	200 ML	210	12%
Indication:It is used in the treatment of acidity, stomach ulcers and bloating.						
204	GASCO-SYP	OXETACAIN 10 MG + ALUMINIUM HYDROXIDE GEL	BOTTLE	170 ML	170	12%
Indication:It is used in the treatment of acidity, stomach ulcers and bloating.						
205	CYPROSIS SYP	Cyproheptadine 2mg + Tricholine Citrate 275 mg/5ml	W.CTN	200 ML	139	12%
Indication:It may also be prescribed to your child to increase his or her appetite.						
206	GNOFER-XT SYP	Ferrous Ascorbate 30mg + Folic Acid 550mcg/5ml	W.CTN	200 ML	149	12%
Indication:It used to treat iron deficiency in children due to low intake of iron.						
207	ZINTOMATE SYP	Multivitamin with Lycopene/5ml	W.CTN	200 ML	159	12%

Indication:A multivitamin syrup.						
208	KAINOFER SYP	Ferric Amonium Citrate, Folic Acid & Cynocobalamine Syp	W.CTN	200ML	159	12%
Indication:It is used to treat iron deficiency anaemia and to prevent folic acid deficiency.						
<b>AYURVEDIC SYRUP</b>						
S.NO	BRAND NAME	COMPOSITION	TYPE	PACKING	MRP	GST
209	LIVKAIN TONIC	AYURVEDIC LIVER TONIC	W.CTN	200 ML	149	12%
Indication: An Ayuvedic Liver Tonic						
210	FEMOBEST SYP	FEMALE UTERINE TONIC	W.CTN	200ML	149	12%
Indication: A complete female uterine tonic.						
211	STONSIS SYP	AYURVEDIC STONE SYP	W.CTN	200ML		12%
Indication: Ayurvedic stone syrup.						
<b>BOHO STUDIO</b>						
<b>***COSMETIC RANGE***</b>						
S.NO	BRAND NAME	COMPOSITION	TYPE	PACKING	MRP	GST
212	BOHO HYGEINE WASH	V WASH	BOTTLE	125 ML	219	18%
Indication:An Intimate hygiene wash.						
213	BOHO D TAN FACEWASH	D TAN FACEWASH WITH GOODNESS OF HALD AND CHANDAN	TUBE	100 ML	249	18%
Indication: Helps in removing face tan						
214	BOHO SUNSCREEN (SPF 30)	Stearic Acid,Strearyl Alcohol Cetyl Alcohol,Steareth-2,Polyoxythylen Fatty Ether,Benzophenon-3,Paraffinim Perliquidum,Ethylhexyl Methoxycinnamate phenoxyethanol,Imidazolidinyl Urea,Disodium Ethylenediaminetetraacetate,Butylated Hydroxytoluene,Propylene Glycol,Titanium Dioxide,Glycerine,Zinc Oxide,Tocopheryl Acetate,Carica Papaya Extract,Glycyrrhiza Glabra Extract,Butyl Methoxydibenzoylmethan,Trietha	TUBE	100ML	375	18%
Indication: Sunscreen reduces your overall UV exposure and lowers your risk of skin cancer and sun damage.						
215	BOHO MOISTURIZING LOTION	BHT,Ginol-16,Olive Squalene Oil,Sepiplus-400,Sodium PCA, Hydrogenated Polyisobutene,PEG-7 Ester,Self Eemulsifying,CCTG,Phenoxy Ethanol,Germall 115,LLP, Dimethicone 200/350,Glycerine,Ginol-1618, Tocopherol,Xanthan gum,Na hyaluronate,Purasal 60,LIPO IID99A, Aloe Vera Extract,Macadamia Oil,NaGluconate,Fragrance,Aquaxyl,Montanov-202	TUBE	100ML	350	18%
Indication:24hr Hydration, Oil Free Moisturiser.						
<b>TERMS &amp; CONDITIONS</b>						
*	We require Drug License copy, GST, Adhaar Card, PAN card and one identity proof for our legal records.					
*	Goods Once Sold Will Not Be Taken Back Until Any Manufacturing Fault.					
*	All the prices are exclusive of GST.					
*	Transportation will be borne by the Client.					

*	No Expiry , Returns and Breakages will be Considered
*	Prices are subject to change without notice due to revision in Raw material Price
*	All Promotional Materials will be provided as per Franchisee Business Model
*	Goods will be dispatched against advance payments only.

## OUR BANK DETAILS

**BANK HOLDER: GNOSIS PHARMACEUTICALS PVT. LTD.**

**BANK: HDFC BANK LTD**

**A/C NO: 50200052963112**

**IFSC CODE: HDFC0002101**

**BRANCH ADDRESS: NAHAN ROAD, OPP. IOC PETROL PUMP, KALA-AMB (H.P.)**